


MORFI Big Part LED

Office Suspended Light

Product Data Sheet

Project:


Pos.:




- Aluminium body
- High efficient satin cover
- System for modular, unlimited design options
- The parts can be easily connected
- CRI>80
- Efficiency: 133lm / W at 3000K, 140lm / W at 4000K
- Incl. transparent cable L= 2500mm, 2x0,75mm²
- Wire suspension kit, ceiling rose and driver are to be ordered separately
- Colour temperature: x= warm white 3000K (2), cool white 4000K (3)
- Colours: y= white (1), titanium (2), black (3)
- Option: RAL colours at 10% additional charge
- Country of Origin: EU

Note: This product requires additional accessory parts.


PART 5 IN




PART 5 OUT




PART 6 IN




PART 6 OUT




PART 7 IN






PART 7 OUT



PART 8 IN



PART 8 OUT



This product is available in the following versions:

Order no.	Illuminant	Description
86-820013221	LED 54W 24V DC Luminous Colour: 3000K,	, cover Polycarbonate satine, MORFI Big Part 6 IN (Ø3030mm) beam angle: direct / indirect, dimensions: 72°, L= 1780mm IP20, warranty: 5 years, excl. driver

86-820013222	LED 54W 24V DC Luminous Colour: 3000K,	, cover Polycarbonate satine, MORFI Big Part 6 IN (Ø3030mm) beam angle: direct / indirect, dimensions: 72°, L= 1780mm IP20, warranty: 5 years, excl. driver
86-820013223	LED 54W 24V DC Luminous Colour: 3000K,	, cover Polycarbonate satine, MORFI Big Part 6 IN (Ø3030mm) beam angle: direct / indirect, dimensions: 72°, L= 1780mm IP20, warranty: 5 years, excl. driver
86-820013231	LED 54W 24V DC Luminous Colour: 4000K,	, cover Polycarbonate satine, MORFI Big Part 6 IN (Ø3030mm) beam angle: direct / indirect, dimensions: 72°, L= 1780mm IP20, warranty: 5 years, excl. driver
86-820013232	LED 54W 24V DC Luminous Colour: 4000K,	, cover Polycarbonate satine, MORFI Big Part 6 IN (Ø3030mm) beam angle: direct / indirect, dimensions: 72°, L= 1780mm IP20, warranty: 5 years, excl. driver
86-820013233	LED 54W 24V DC Luminous Colour: 4000K,	, cover Polycarbonate satine, MORFI Big Part 6 IN (Ø3030mm) beam angle: direct / indirect, dimensions: 72°, L= 1780mm IP20, warranty: 5 years, excl. driver
86-820013321	LED 54W 24V DC Luminous Colour: 3000K,	, cover Polycarbonate satine, MORFI Big Part 6 OUT (Ø2930mm) beam angle: direct / indirect, dimensions: 72°, L= 1720mm IP20, warranty: 5 years, excl. driver
86-820013322	LED 54W 24V DC Luminous Colour: 3000K,	, cover Polycarbonate satine, MORFI Big Part 6 OUT (Ø2930mm) beam angle: direct / indirect, dimensions: 72°, L= 1720mm IP20, warranty: 5 years, excl. driver
86-820013323	LED 54W 24V DC Luminous Colour: 3000K,	, cover Polycarbonate satine, MORFI Big Part 6 OUT (Ø2930mm) beam angle: direct / indirect, dimensions: 72°, L= 1720mm IP20, warranty: 5 years, excl. driver
86-820013331	LED 54W 24V DC Luminous Colour: 4000K,	, cover Polycarbonate satine, MORFI Big Part 6 OUT (Ø2930mm) beam angle: direct / indirect, dimensions: 72°, L= 1720mm IP20, warranty: 5 years, excl. driver
86-820013332	LED 54W 24V DC Luminous Colour: 4000K,	, cover Polycarbonate satine, MORFI Big Part 6 OUT (Ø2930mm) beam angle: direct / indirect, dimensions: 72°, L= 1720mm IP20, warranty: 5 years, excl. driver
86-820013333	LED 54W 24V DC Luminous Colour: 4000K,	, cover Polycarbonate satine, MORFI Big Part 6 OUT (Ø2930mm) beam angle: direct / indirect, dimensions: 72°, L= 1720mm IP20, warranty: 5 years, excl. driver
86-820013421	LED 54W 24V DC Luminous Colour: 3000K,	, cover Polycarbonate satine, MORFI Big Part 7 IN (Ø4020mm) beam angle: direct / indirect, dimensions: 51,43°, L= 1745mm IP20, warranty: 5 years, excl. driver
86-820013422	LED 54W 24V DC Luminous Colour: 3000K,	, cover Polycarbonate satine, MORFI Big Part 7 IN (Ø4020mm) beam angle: direct / indirect, dimensions: 51,43°, L= 1745mm IP20, warranty: 5 years, excl. driver
86-820013423	LED 54W 24V DC Luminous Colour: 3000K,	, cover Polycarbonate satine, MORFI Big Part 7 IN (Ø4020mm) beam angle: direct / indirect, dimensions: 51,43°, L= 1745mm IP20, warranty: 5 years, excl. driver
86-820013431	LED 54W 24V DC Luminous Colour: 4000K,	, cover Polycarbonate satine, MORFI Big Part 7 IN (Ø4020mm) beam angle: direct / indirect, dimensions: 51,43°, L= 1745mm IP20, warranty: 5 years, excl. driver
86-820013432	LED 54W 24V DC Luminous Colour: 4000K,	, cover Polycarbonate satine, MORFI Big Part 7 IN (Ø4020mm) beam angle: direct / indirect, dimensions: 51,43°, L= 1745mm IP20, warranty: 5 years, excl. driver

86-820013433	LED 54W 24V DC Luminous Colour: 4000K,	, cover Polycarbonate satine, MORFI Big Part 7 IN (Ø4020mm) beam angle: direct / indirect, dimensions: 51,43°, L= 1745mm IP20, warranty: 5 years, excl. driver
86-820013521	LED 54W 24V DC Luminous Colour: 3000K,	, cover Polycarbonate satine, MORFI Big Part 7 OUT (Ø4080mm) beam angle: direct / indirect, dimensions: 51,43°, L= 1770mm IP20, warranty: 5 years, excl. driver
86-820013522	LED 54W 24V DC Luminous Colour: 3000K,	, cover Polycarbonate satine, MORFI Big Part 7 OUT (Ø4080mm) beam angle: direct / indirect, dimensions: 51,43°, L= 1770mm IP20, warranty: 5 years, excl. driver
86-820013523	LED 54W 24V DC Luminous Colour: 3000K,	, cover Polycarbonate satine, MORFI Big Part 7 OUT (Ø4080mm) beam angle: direct / indirect, dimensions: 51,43°, L= 1770mm IP20, warranty: 5 years, excl. driver
86-820013531	LED 54W 24V DC Luminous Colour: 4000K,	, cover Polycarbonate satine, MORFI Big Part 7 OUT (Ø4080mm) beam angle: direct / indirect, dimensions: 51,43°, L= 1770mm IP20, warranty: 5 years, excl. driver
86-820013532	LED 54W 24V DC Luminous Colour: 4000K,	, cover Polycarbonate satine, MORFI Big Part 7 OUT (Ø4080mm) beam angle: direct / indirect, dimensions: 51,43°, L= 1770mm IP20, warranty: 5 years, excl. driver
86-820013533	LED 54W 24V DC Luminous Colour: 4000K,	, cover Polycarbonate satine, MORFI Big Part 7 OUT (Ø4080mm) beam angle: direct / indirect, dimensions: 51,43°, L= 1770mm IP20, warranty: 5 years, excl. driver
86-820013721	LED 57W 24V DC Luminous Colour: 3000K,	, cover Polycarbonate satine, MORFI Big Part 8 OUT (Ø4910mm) beam angle: direct / indirect, dimensions: 45°, L= 1880mm IP20, warranty: 5 years, excl. driver
86-820013722	LED 57W 24V DC Luminous Colour: 3000K,	, cover Polycarbonate satine, MORFI Big Part 8 OUT (Ø4910mm) beam angle: direct / indirect, dimensions: 45°, L= 1880mm IP20, warranty: 5 years, excl. driver
86-820013723	LED 57W 24V DC Luminous Colour: 3000K,	, cover Polycarbonate satine, MORFI Big Part 8 OUT (Ø4910mm) beam angle: direct / indirect, dimensions: 45°, L= 1880mm IP20, warranty: 5 years, excl. driver
86-820013731	LED 57W 24V DC Luminous Colour: 4000K,	, cover Polycarbonate satine, MORFI Big Part 8 OUT (Ø4910mm) beam angle: direct / indirect, dimensions: 45°, L= 1880mm IP20, warranty: 5 years, excl. driver
86-820013732	LED 57W 24V DC Luminous Colour: 4000K,	, cover Polycarbonate satine, MORFI Big Part 8 OUT (Ø4910mm) beam angle: direct / indirect, dimensions: 45°, L= 1880mm IP20, warranty: 5 years, excl. driver
86-820013733	LED 57W 24V DC Luminous Colour: 4000K,	, cover Polycarbonate satine, MORFI Big Part 8 OUT (Ø4910mm) beam angle: direct / indirect, dimensions: 45°, L= 1880mm IP20, warranty: 5 years, excl. driver
86-820013121	LED 60W 24V DC Luminous Colour: 3000K,	, cover Polycarbonate satine, MORFI Big Part 5 OUT (Ø1980mm) beam angle: direct / indirect, dimensions: 120°, L= 1715mm IP20, warranty: 5 years, excl. driver
86-820013122	LED 60W 24V DC Luminous Colour: 3000K,	, cover Polycarbonate satine, MORFI Big Part 5 OUT (Ø1980mm) beam angle: direct / indirect, dimensions: 120°, L= 1715mm IP20, warranty: 5 years, excl. driver
86-820013123	LED 60W 24V DC Luminous Colour: 3000K,	, cover Polycarbonate satine, MORFI Big Part 5 OUT (Ø1980mm) beam angle: direct / indirect, dimensions: 120°, L= 1715mm IP20, warranty: 5 years, excl. driver

86-820013131	LED 60W 24V DC Luminous Colour: 4000K,	, cover Polycarbonate satine, MORFI Big Part 5 OUT (Ø1980mm) beam angle: direct / indirect, dimensions: 120°, L= 1715mm IP20, warranty: 5 years, excl. driver
86-820013132	LED 60W 24V DC Luminous Colour: 4000K,	, cover Polycarbonate satine, MORFI Big Part 5 OUT (Ø1980mm) beam angle: direct / indirect, dimensions: 120°, L= 1715mm IP20, warranty: 5 years, excl. driver
86-820013133	LED 60W 24V DC Luminous Colour: 4000K,	, cover Polycarbonate satine, MORFI Big Part 5 OUT (Ø1980mm) beam angle: direct / indirect, dimensions: 120°, L= 1715mm IP20, warranty: 5 years, excl. driver
86-820013621	LED 60W 24V DC Luminous Colour: 3000K,	, cover Polycarbonate satine, MORFI Big Part 8 IN (Ø5100mm) beam angle: direct / indirect, dimensions: 45°, L= 1950mm IP20, warranty: 5 years, excl. driver
86-820013622	LED 60W 24V DC Luminous Colour: 3000K,	, cover Polycarbonate satine, MORFI Big Part 8 IN (Ø5100mm) beam angle: direct / indirect, dimensions: 45°, L= 1950mm IP20, warranty: 5 years, excl. driver
86-820013623	LED 60W 24V DC Luminous Colour: 3000K,	, cover Polycarbonate satine, MORFI Big Part 8 IN (Ø5100mm) beam angle: direct / indirect, dimensions: 45°, L= 1950mm IP20, warranty: 5 years, excl. driver
86-820013631	LED 60W 24V DC Luminous Colour: 4000K,	, cover Polycarbonate satine, MORFI Big Part 8 IN (Ø5100mm) beam angle: direct / indirect, dimensions: 45°, L= 1950mm IP20, warranty: 5 years, excl. driver
86-820013632	LED 60W 24V DC Luminous Colour: 4000K,	, cover Polycarbonate satine, MORFI Big Part 8 IN (Ø5100mm) beam angle: direct / indirect, dimensions: 45°, L= 1950mm IP20, warranty: 5 years, excl. driver
86-820013633	LED 60W 24V DC Luminous Colour: 4000K,	, cover Polycarbonate satine, MORFI Big Part 8 IN (Ø5100mm) beam angle: direct / indirect, dimensions: 45°, L= 1950mm IP20, warranty: 5 years, excl. driver
86-820013021	LED 63W 24V DC Luminous Colour: 3000K,	, cover Polycarbonate satine, MORFI Big Part 5 IN (Ø2010mm) beam angle: direct / indirect, dimensions: 120°, L= 1740mm IP20, warranty: 5 years, excl. driver
86-820013022	LED 63W 24V DC Luminous Colour: 3000K,	, cover Polycarbonate satine, MORFI Big Part 5 IN (Ø2010mm) beam angle: direct / indirect, dimensions: 120°, L= 1740mm IP20, warranty: 5 years, excl. driver
86-820013023	LED 63W 24V DC Luminous Colour: 3000K,	, cover Polycarbonate satine, MORFI Big Part 5 IN (Ø2010mm) beam angle: direct / indirect, dimensions: 120°, L= 1740mm IP20, warranty: 5 years, excl. driver
86-820013031	LED 63W 24V DC Luminous Colour: 4000K,	, cover Polycarbonate satine, MORFI Big Part 5 IN (Ø2010mm) beam angle: direct / indirect, dimensions: 120°, L= 1740mm IP20, warranty: 5 years, excl. driver
86-820013032	LED 63W 24V DC Luminous Colour: 4000K,	, cover Polycarbonate satine, MORFI Big Part 5 IN (Ø2010mm) beam angle: direct / indirect, dimensions: 120°, L= 1740mm IP20, warranty: 5 years, excl. driver
86-820013033	LED 63W 24V DC Luminous Colour: 4000K,	, cover Polycarbonate satine, MORFI Big Part 5 IN (Ø2010mm) beam angle: direct / indirect, dimensions: 120°, L= 1740mm IP20, warranty: 5 years, excl. driver

Accessories for this product:

Order no.	Name	Category/Type	Description
86-800017	Accesories for MORFI	Driver	100W/24V DALI dimmable

86-800018

Accesories for MORFI

Driver

60W/24V DALI dimmable

86-800058	Accesories for MORFI	Driver	150W/24V
86-800098	Accesories for MORFI	Driver	100W/24V
86-800099	Accesories for MORFI	Driver	50W/24V
86-900101	Accesories for MORFI	Single suspension (3 pcs. each luminaire)	L= 1000mm
86-900103	Accesories for MORFI	Single suspension (3 pcs. each luminaire)	L= 2000mm
86-900104	Accesories for MORFI	Single suspension (3 pcs. each luminaire)	L= 3000mm
86-900105	Accesories for MORFI	Single suspension (3 pcs. each luminaire)	L= 4000mm

Errors excepted - measurements may change.

ELUX Lichtsysteme GmbH
A-1230 Wien, Deutschstraße 4

Tel. 01/6154690, Fax 01/6154690-80
office@elux-licht.at

www.leuchtenshop.at
www.lichtplus.at